# Q-DAS

# Release Notes Desktop Application

## Version: 2025.1 - 15.0.3.1 ( 15/250519 )

| | Key | Changelog statement | Component/s |
|---|---|---|---|
| Bug | QDC-455 | Modifications made to the "Parts/characteristics list" will now be available when the destra application is restarted. | destra |
| Bug | QDC-2374 | The TSAF settings dialogue has been revised. | qs-STAT |
| Bug | QDC-2818 | Output point 152 "Individual value alarming" now indicates "undefined" when recording summerised attribute characteristics. | O-QIS, procella, qs-STAT |
| Bug | QDC-3837 | Additional data were not reset as specified after loading a test plan. | O-QIS, procella |
| Bug | QDC-3883 | The problem with using custom buttons in the application bar has been fixed. | O-QIS, procella |
| Bug | QDC-4073 | The display of the alarm dialogue has been revised. | O-QIS, procella |
| Bug | QDC-4093 | Unwanted repeating of alarmed values in Dynamic sampling. Bug fixed. | O-QIS, procella |
| Bug | QDC-4161 | The "Assesment" (37250) output point on the individual values table for attributive procedures now reacts to recorded reference values. | solara.MP |
| Bug | QDC-4171 | Values with attributes 255 and 128 are no longer shown in the eChart value chart graphic (Q-DAS browser-based products). | qs-STAT |
| Bug | QDC-4232 | For the different types of limits, the colours of the bars are now displayed correctly. | O-QIS, qs-STAT |
| Bug | QDC-4234 | "Error protocol dataformat" now works for files with K0006 written in k-field syntax. | qs-STAT |
| Bug | QDC-4268 | The "Individual values" (5801) graphic has been revised to show the latest values. | procella |
| Bug | QDC-4283 | It is now possible to create a file with a dot in the file name. | qs-STAT |
| Bug | QDC-4300 | The problem with the Anderson-Darling generated empty field in the "Test procedures - Summary" graphic has been fixed. | qs-STAT |
| Bug | QDC-4315 | The measured value can now be stored and displayed again above a graphic in “uppper info”. | O-QIS, qs-STAT |
| Bug | QDC-4317 | Due to a certain procedure when creating new uploads, these were then available multiple times. | M-QIS Upload |
| Bug | QDC-4446 | The special handling of the window area being switched to "All windows" when using the "Complete parts protocol" graphics is now deactivated. | qs-STAT |
| Bug | QDC-4465 | The configuration dialogue for the "Operator Control Board" (OCB) graphic has been revised. | qs-STAT |
| Bug | QDC-4522 | The “Standard” and “Default” options in the test plan configuration tab at part level are no longer available. | procella |

# Q-DAS Release Notes Desktop Application

## Version: 2025.1 - 15.0.3.1 ( 15/250519 )

| | Key | Changelog statement | Component/s |
|---|---|---|---|
| Bug | QDC-4553 | Using the “Allocate subordinate test plans” option generated an error message. | procella |
| Bug | QDC-4564 | Delete reporting job button is now named correctly. | M-QIS Reporting |
| Bug | QDC-4568 | Revised handling of alarm limits for output point 15000/0. | qs-STAT |
| Bug | QDC-4572 | Optimisation for discrete DOE factors has been revised. | destra |
| Bug | QDC-4576 | The creation of consecutive pages in reports for graphic "Individual Values – all characteristics (rotated)" has been revised. | qs-STAT |
| Bug | QDC-4590 | Revised behaviour of "Assistant" configuration options. | |
| Bug | QDC-4722 | Q-DAS Tools Launcher failed to start when SQL Management Studio password for SQL login user was changed. | |
| Bug | QDC-4801 | Save to database revised to block incorrect date content. | |
| Bug | QDC-4815 | The test procedure in procella was in a faulty state. | O-QIS, procella |
| Bug | QDC-4846 | The position of the alarm viewer in CMM Reporting was not saved within the window layout. | O-QIS |
| Bug | QDC-4849 | Benchmark report graphics were not displayed in the Form designer. | Q-FD |
| Bug | QDC-4864 | For positional tolerance options, the saving of the evaluation strategy has been revised. | qs-STAT |
| Bug | QDC-4910 | Additional data dialog was empty or contained special characters when displayed again. | |
| Bug | QDC-4916 | Measurement procedure revised. | procella |
| Bug | QDC-4922 | The "Table of effects" is now complete when creating a new experimental design (DoE) project. | destra |
| Bug | QDC-5021 | Losing the contents of filter conditions when re-entering has been fixed. | qs-STAT |
| Bug | QDC-5074 | Verknüpfungsformel wurde als fehlerhaft angezeigt, wenn Merkmale deaktiviert waren. | qs-STAT |
| Bug | QDC-5076 | Application did not start because the entry in the INI file used for mdi_form was too small. | EMPB, qs-STAT |
| Bug | QDC-5083 | Loading project files (.qpf) in Destra has been reworked. | destra |
| Bug | QDC-5085 | When opening the “Contour plot” graphic in the Analysis of Regression/Analysis of Variance module, an access violation occurred. | destra |

# Q-DAS Release Notes Desktop Application

## Version: 2025.1 - 15.0.3.1 ( 15/250519 )

| | Key | Changelog statement | Component/s |
|---|---|---|---|
| Bug | QDC-5266 | Characteristics with subordinate characteristics that were then dissolved again were not displayed in procella and were not used for the test procedure. | O-QIS, procella |
| Bug | QDC-5270 | Value chart of Averages did not show values with a specific configuration of the date-axis. | qs-STAT |
| Bug | QDC-5286 | File and directory pinning revised in destra. | destra |
| Bug | QDC-5292 | Protected evaluation strategies could be renamed. | destra, M-QIS, Q-FD, qs-STAT, solara.MP |
| Bug | QDC-5322 | The appearance of the dialogs for editing measured values, e.g record additional data or set values to invalid, has been revised. | qs-STAT |
| Bug | QDC-5355 | The component for transferring content to defined k-fields in the upload client in Q-DM has been revised. | M-QIS Upload |
| Bug | QDC-5382 | The "display allocation" for the value chart graphics has been revised. | qs-STAT |
| Bug | QDC-5424 | Although there was only one specification limit in a type 2 study, a calculation was carried out despite no calculation being specified in the used evaluation strategy. | solara.MP |
| Bug | QDC-5428 | When saving a type 2 study in the database, a reference value was stored incorrectly even though it did not exist before. | solara.MP |
| Bug | QDC-5447 | The custom sorting of characteristics when copying data sets using the "Read from database" dialogue has been revised. | procella, qs-STAT |
| Bug | QDC-5462 | Former group characteristic was not considered during measurement value recording. | procella |
| Bug | QDC-5562 | The list of additional data fields for camera images and screenshots in the "Document allocation settings" dialogue has been revised. | qs-STAT |
| Bug | QDC-5572 | In the "Read from database" dialogue, it is now also possible to delete datasets that do not have displayed part information. | qs-STAT |
| Story | QDC-2850 | The display of the quick filter in the "Read from Database" dialogue has been revised. | qs-STAT |
| Story | QDC-3672 | Even if a special measurement has been defined so that it can always be started, the start of a special measurement within recordings (part measurement / group measurement) is prevented if the actual measurement has been started. | O-QIS, procella |
| Story | QDC-4057 | Saving alarms in procella has been revised. | procella |
| Story | QDC-4106 | "Benchmark report" graphics are now available for Summary/Input graphics. | procella |

# Q-DAS

# Release Notes Desktop Application
## Version: 2025.1 - 15.0.3.1 ( 15/250519 )

| | Key | Changelog statement | Component/s |
|---|---|---|---|
| Story | QDC-4146 | The document allocation to the measured value now optionally allows to save the files in the database. | qs-STAT |
| Story | QDC-4153 | When the SAP IDI service is created, all relevant parameters are now written to the Windows registry. | SAP-IDI |
| Story | QDC-4157 | The M-QIS Reporting timestamp field has been enlarged. | M-QIS Reporting |
| Story | QDC-4165 | Data compression for LT was sped up, in the case of measurement readings in the database starting with dates from 1970. | M-QIS Reporting |
| Story | QDC-4167 | The logging of the amendment history has been extended. | M-QIS Reporting, M-QIS Upload, procella, qs-STAT |
| Story | QDC-4296 | Q-DAS applications now display the Windows operating system and build number correctly. | qs-STAT |
| Story | QDC-4313 | For international political reasons, the flags of the various national languages were removed in front of the respective language. | M-QIS Upload, qs-STAT |
| Story | QDC-4461 | Value axis labelling for "Part Anomaly Analysis" (PAA) graphics is now customisable. | qs-STAT |
| Story | QDC-4528 | Database option “Values per characteristic” only displayed the number of measured values from one measured value onwards. | qs-STAT |
| Story | QDC-4541 | The MCA/CMM Reporting specific icons and functions in the ribbons as well as the button bar will be now enabled / disabled depending on the MCA/CMM Reporting loading status and whether using the functions is applicable. | O-QIS |
| Story | QDC-4555 | Background processes are stopped completely as soon as a dialog box appears. | O-QIS |
| Story | QDC-4596 | Chinese (traditional) language is now available and the language selection has been reworked. | qs-STAT |
| Story | QDC-4617 | The M-QIS Reporting protocol has been revised. | M-QIS Reporting |
| Story | QDC-4872 | Log output in M-QIS Reporting has been revised. | M-QIS Reporting |
| Story | QDC-5036 | Writing unique IDs when configuring and writing LT data to ensure allocation. | M-QIS |
| Story | QDC-5095 | Test procedure output points can now be output with 4 decimal places. | qs-STAT |
| Story | QDC-5294 | The Acceptance limits in solara.MP have been given our with too less decimal points. | solara.MP |
| Story | QDC-5435 | Starting with version 15.0.3.1, the automatic installation of SQL Express is no longer offered in the setup. | |

# Q-DAS

# Release Notes Desktop Application

## Version: 2025.1 - 15.0.3.1 ( 15/250519 )

| | Key | Changelog statement | Component/s |
|---|---|---|---|
| Story | QDC-5771 | Output timestamp in ISO format added. | Herkules, qs-STAT |
| Story | QDC-5163 | New strategies were created for both modules in the qs-STAT product. Adjustments were made to the target values, sub-strategies, and the QRK. | qs-STAT |
| Story | QDC-5165 | New strategies were created for both modules in the qs-STAT product. Adjustments were made to the target values, pre-run requirements | qs-STAT |